

SAYLOR-BEALL MFG. CO.




400 N. Kibbee St., St. Johns, MI 48879

Ph: 800-248-9001, Fax: 989-224-8788

www.saylor-beall.com

Master Compressor Price List



Effective January 1, 2023

Freight Policy: The prices on this list are f.o.b. St. Johns, MI with freight allowed to first destination in the United States on shipments weighing more than 350 lbs. **Additional freight charges** may be applied to drop shipments. Seller shall have option to choose most advantageous and economical routing. On shipments destined to Alaska or Hawaii, freight prepayment will be made only to carrier's terminal at usual port of embarkation.

Contents

Description	Stages	Driver	Lubrication Type	Page
Bare Pumps				1
Horizontal Tank Mounted	Two Stage	Electric	Splash Lubricated	2
Horizontal Tank Mounted	Two Stage	Electric	Pressure Lubricated	3
Options				4,5
Vertical Tank Mounted	Two Stage	Electric	Splash Lubricated	6
Vertical Tank Mounted	Two Stage	Electric	Pressure Lubricated	6
Engine Driven	Two Stage	Gas	Splash Lubricated	7
Engine Driven	Two Stage	Gas	Pressure Lubricated	7
Duplex	Two Stage	Electric	Splash Lubricated	8
Duplex	Two Stage	Electric	Pressure Lubricated	9
Base Mounted	Two Stage	Electric	Splash Lubricated	10
Base Mounted	Two Stage	Electric	Pressure Lubricated	10
Single Stage	Single	Electric		11
Oilless	Single & Two Stage	Electric		12
Compressed Air System	Two Stage	Electric	Refrigerated Dryer	12
Compressed Air System	Two Stage	Electric	Desiccant Dryer	13
Climate Control Compressors		Electric		14 to 17
Dur-o-line	Two Stage	Electric & Gas		18
Rotary Screw Compressors		Electric		19
Dryers, Aftercoolers				20
Filters, Drains				21,22
Performance Packages				23

Bare Pumps

Splash Lubricated - Two Stage - Air Compressor Pumps

At Maximum Hp

HP RANGE	PUMP MODEL	RPM	CFM DISP.	CFM DIVD.	BORE	STROKE	NO. CYL.	WEIGHT	LIST PRICE	DEDUCTION FOR FLYWHEEL OMISSION
1 1/2-2	703	510	10.0	7.50	3 1/2 & 1 7/8	3 1/2	2	191	\$2,007	\$181
3-5	705	845	23.0	17.3	4 1/8 & 2 1/8	3 1/2	2	197	\$2,344	\$181
7 1/2-10	707	845	46.0	34.4	4 1/8 & 2 1/8	3 1/2	4	298	\$4,711	\$181
10-15	4500	830	63.7	51.0	6 1/8 & 3 1/4	4 1/2	2	452	\$7,393	\$345
15-30	9000	830	127.4	101.1	6 1/8 & 3 1/4	4 1/2	4	666	\$10,139	\$345
1 1/2-2	UL-703	510	10.0	7.50	3 1/2 & 1 7/8	3 1/2	2	191	\$2,366	\$181
3-5	UL-705	845	23.0	17.3	4 1/8 & 2 1/8	3 1/2	2	197	\$2,703	\$181
7 1/2-10	UL-707	845	46.0	34.4	4 1/8 & 2 1/8	3 1/2	4	298	\$5,192	\$181
10-15	UI-4500	830	63.7	51.0	6 1/8 & 3 1/4	4 1/2	2	452	\$7,788	\$345
15-30	UL-9000	830	127.4	101.1	6 1/8 & 3 1/4	4 1/2	4	666	\$10,664	\$345

Models with UL prefix contain head unloaders

Pressure Lubricated - Two Stage - Air Compressor Pumps

At Maximum Hp

HP RANGE	PUMP MODEL	RPM	CFM DISP.	CFM DIVD.	BORE	STROKE	NO. CYL.	WEIGHT	LIST PRICE	DEDUCTION FOR FLYWHEEL OMISSION
1 1/2-2	PL-703	510	10.0	7.50	3 1/2 & 1 7/8	3 1/2	2	194	\$2,695	\$181
3-5	PL-705	845	23.0	17.3	4 1/8 & 2 1/8	3 1/2	2	200	\$3,032	\$181
7 1/2-10	PL-707	845	46.0	34.4	4 1/8 & 2 1/8	3 1/2	4	301	\$5,768	\$181
10-15	PL-4500	830	63.7	51.0	6 1/8 & 3 1/4	4 1/2	2	461	\$9,096	\$345
15-30	PL-9000	830	127.4	101.1	6 1/8 & 3 1/4	4 1/2	4	675	\$12,240	\$345
1 1/2-2	UL-PL-703	510	10.0	7.50	3 1/2 & 1 7/8	3 1/2	2	194	\$3,054	\$181
3-5	UL-PL-705	845	23.0	17.3	4 1/8 & 2 1/8	3 1/2	2	200	\$3,391	\$181
7 1/2-10	UL-PL-707	845	46.0	34.4	4 1/8 & 2 1/8	3 1/2	4	301	\$6,249	\$181
10-15	UL-PL-4500	830	63.7	51.0	6 1/8 & 3 1/4	4 1/2	2	461	\$9,491	\$345
15-30	UL-PL-9000	830	127.4	101.1	6 1/8 & 3 1/4	4 1/2	4	675	\$12,765	\$345

Models with UL prefix contain head unloaders

Splash Lubricated - Single Stage - Air Compressor Pumps

At Maximum Hp

HP RANGE	PUMP MODEL	RPM	CFM DISP.	CFM DIVD.	BORE	STROKE	NO. CYL.	WEIGHT	LIST PRICE	DEDUCTION FOR FLYWHEEL OMISSION
1/2 - 3/4	F	700	4.0	2.6	2 1/2	2	1	30	\$938	N/A
1 - 1 1/2	K	810	9.2	5.9	2 1/2	2	2	44	\$1,653	N/A



Saylor-Beall Mfg. Co.
400 N. Kibbee St.
St. Johns, MI 48879
www.saylor-beall.com

Toll-free: 1-800-248-9001
Fax: 1-989-224-8788

SPLASH LUBRICATED - TWO STAGE - ELECTRIC MOTOR HORIZONTAL TANK MOUNTED

HP	TANK HORIZONTAL		PUMP	RPM	CFM @		WT LBS.	1 PHASE	3 PHASE
	GAL	MODEL			175 PSI				
1 1/2	60	715-60	703	400	5.8	508	\$4,893	\$4,871	
1 1/2	80	715-80	703	400	5.8	553	\$5,320	\$5,298	
2	60	720-60	703	510	7.5	529	\$5,088	\$4,998	
2	80	720-80	703	510	7.5	574	\$5,515	\$5,425	
3	60	730-60	705	540	11.1	551	\$5,175	\$5,005	
3	80	730-80	705	540	11.1	596	\$5,602	\$5,433	
3	120	730-120	705	540	11.1	722	\$6,643	\$6,474	
5	60	735-60	705	845	17.3	567	\$5,282	\$5,016	
5	80	735-80	705	845	17.3	612	\$5,709	\$5,443	
5	120	735-120	705	845	17.3	738	\$6,750	\$6,484	
5	80	737-80	707	455	18.5	704	\$9,094	\$8,827	
5	120	737-120	707	455	18.5	835	\$9,884	\$9,617	
7 1/2	80	745-80	707	650	26.2	710	\$10,250	\$9,134	
7 1/2	120	745-120	707	650	26.2	837	\$11,040	\$9,924	
10	80	755-80	707	845	34.4	730	\$11,677	\$9,735	
10	120	755-120	707	845	34.4	851	\$12,467	\$10,525	
10	200	755-200	707	845	34.4	1090	\$13,690	\$11,748	
10	120	451012	4500	605	38.0	1151		\$12,384	
10	200	451020	4500	605	38.0	1390		\$13,591	
15	120	451512	4500	830	51.0	1185		\$13,226	
15	200	451520	4500	830	51.0	1424		\$14,433	
15	120	91512	9000	480	61.2	1350		\$15,935	
15	200	91520	9000	480	61.2	1592		\$17,142	
20	120	92012	9000	605	76.1	1395		\$16,777	
20	200	92020	9000	605	76.1	1634		\$17,984	
20	240	92024	9000	605	76.1	1849		\$18,633	
25	120	92512	9000	710	89.6	1409		\$17,618	
25	200	92520	9000	710	89.6	1648		\$18,825	
25	240	92524	9000	710	89.6	1863		\$19,474	
30	120	93012	9000	830	101.1	1430		\$18,457	
30	200	93020	9000	830	101.1	1669		\$19,664	
30	240	93024	9000	830	101.1	1884		\$20,313	



Saylor-Beall Mfg. Co.
400 N. Kibbee St.
St. Johns, MI 48879
www.saylor-beall.com

Toll-free: 1-800-248-9001
Fax: 1-989-224-8788

PRESSURE LUBRICATED - TWO STAGE - ELECTRIC MOTOR HORIZONTAL TANK MOUNTED

HP	TANK HORIZONTAL		PUMP	RPM	CFM @		WT LBS.	1 PHASE	3 PHASE
	GAL	MODEL			175 PSI				
1 1/2	60	PL-715-60	PL-703	400	5.8	508	\$6,118	\$6,096	
1 1/2	80	PL-715-80	PL-703	400	5.8	553	\$6,545	\$6,523	
2	60	PL-720-60	PL-703	510	7.5	529	\$6,313	\$6,223	
2	80	PL-720-80	PL-703	510	7.5	574	\$6,740	\$6,650	
3	60	PL-730-60	PL-705	540	11.1	551	\$6,400	\$6,230	
3	80	PL-730-80	PL-705	540	11.1	596	\$6,827	\$6,658	
3	120	PL-730-120	PL-705	540	11.1	722	\$7,868	\$7,699	
5	60	PL-735-60	PL-705	845	17.3	567	\$6,507	\$6,241	
5	80	PL-735-80	PL-705	845	17.3	615	\$6,934	\$6,668	
5	120	PL-735-120	PL-705	845	17.3	741	\$7,975	\$7,709	
5	80	PL-737-80	PL-707	455	18.5	704	\$10,794	\$10,527	
5	120	PL-737-120	PL-707	455	18.5	835	\$11,584	\$11,317	
7 1/2	80	PL-745-80	PL-707	650	26.2	710	\$11,950	\$10,834	
7 1/2	120	PL-745-120	PL-707	650	26.2	837	\$12,740	\$11,624	
10	80	PL-755-80	PL-707	845	34.4	730	\$13,377	\$11,435	
10	120	PL-755-120	PL-707	845	34.4	851	\$14,167	\$12,225	
10	200	PL-755-200	PL-707	845	34.4	1090	\$15,390	\$13,448	
10	120	PL-451012	PL-4500	605	38.0	1151		\$14,630	
10	200	PL-451020	PL-4500	605	38.0	1390		\$15,837	
15	120	PL-451512	PL-4500	830	51.0	1185		\$15,472	
15	200	PL-451520	PL-4500	830	51.0	1424		\$16,679	
15	120	PL-91512	PL-9000	480	61.2	1350		\$18,931	
15	200	PL-91520	PL-9000	480	61.2	1592		\$20,138	
20	120	PL-92012	PL-9000	605	76.1	1394		\$19,773	
20	200	PL-92020	PL-9000	605	76.1	1634		\$20,980	
20	240	PL-92024	PL-9000	605	76.1	1849		\$21,629	
25	120	PL-92512	PL-9000	710	89.6	1409		\$20,614	
25	200	PL-92520	PL-9000	710	89.6	1648		\$21,821	
25	240	PL-92524	PL-9000	710	89.6	1863		\$22,470	
30	120	PL-93012	PL-9000	830	101.1	1430		\$21,453	
30	200	PL-93020	PL-9000	830	101.1	1669		\$22,660	
30	240	PL-93024	PL-9000	830	101.1	1884		\$23,309	



Saylor-Beall Mfg. Co.
400 N. Kibbee St.
St. Johns, MI 48879
www.saylor-beall.com

Toll-free: 1-800-248-9001
Fax: 1-989-224-8788

Optional Compressor Accessories

Effective January 1, 2023

MAGNETIC STARTERS	LIST PRICE
1 1/2 - 5 HP, 1 PH	\$382
1 1/2 - 5 HP, 3 PH	\$382
7 1/2 HP, 1 PH	\$740
7 1/2 HP, 3 PH	\$492
10 HP, 1 PH	\$1,251
10 - 15 HP, 3 PH	\$740
20 - 25 HP, 3 PH 460V	\$740
20-25 HP, 3 PH 230V	\$1,561
30 HP, 3 PH 460V	\$1,561
30 HP, 3 PH 230V	\$1,928

DUAL CONTROL	
F-Pump	\$198
K-Pump	\$292
1 1/2 - 5 HP (703 & 705)	
discharge unloaders	\$311
head unloaders	\$454
5 - 10 HP (707)	
discharge unloaders	\$481
head unloaders	\$549
10 - 15 HP (4500)	
head unloaders	\$488
15 - 30 HP (9000)	
head unloaders	\$608

AIR COOLED AFTERCOOLERS*	
1 1/2 - 5 HP (703 & 705)	\$1,271
5 - 10 HP (707)	\$1,470
10 - 15 HP (4500)	\$1,663
15 - 20 HP (9000)	\$1,910
25 HP (9000)	\$2,209
30 HP (9000)	\$2,500

*aftercooler is mounted **inside** belt guard

MASSACHUSETTS SPECIFICATION FITTINGS	
1 1/2 - 10 HP (703, 705, 707)	\$168
10 - 30 HP (4500, 9000)	\$200

PEDESTAL	
1 1/2 - 10 HP - Part No. (6002) (703, 705, 707)	\$399
10 - 30 HP - Part No. (6002-D) (4500, 9000)	\$519

AUTOMATIC TANK DRAIN	
(All Models) - Part No. (4906 - E) with Y Strainer	\$266

Y STRAINER - recommended with Auto Tank Drain	
Part No. (6532)	\$65

LOW OIL CONTROL	
(All Models) Part No. (6304) Two Stage Only	\$235

VIBRATION ISOLATORS	
30 to 80 ga. Receivers - Part No. (6502)	\$130
120 to 240 gal. Receivers - Part No. (8957)	\$276

FLEX HOSE - DOWN LINE	
3/4" * 12" - Part No. (4459)	\$256
1 3/4" * 18" - Part No. (8276)	\$345

Quiet Intake Filters	
1" Part No. (6105-QF)	\$135
2" Part No. (8830-1)	\$519

CRANKCASE HEATER	
(6503)	\$111

SPIN ON OIL FILTER	
Pressure lubricated models only	\$299

PRESSURE REGULATORS	
3/4" w/gauge to 250 psi Part No. (6048)	\$248

COALESCING FILTER BREATHER	
703, 705 & 4500 Part No. (8996)	\$317
707 & 9000 Part No. (8995)	\$298



UL Listed Alternator Control Panels

SERIES 321 (Without Disconnect Switches) - Wired alternator control panel in NEMA 1 enclosure. Complete with (2) magnetic line starters, (2) pilot lights and alternator control relay.

MOTOR HP	PHASE	VOLTAGE	PRICE WITHOUT DISCONNECT SWITCHES
1 1/2 - 5	1	230	\$1,796
1 1/2 - 5	3	230 or 460	\$1,796
7 1/2	3	230 or 460	\$1,961
10 - 15	3	230 or 460	\$2,338
20 - 25	3	460	\$2,338
20 - 25	3	230	\$3,814
30	3	460	\$3,814
30	3	230	\$4,389

ALTERNATOR CONTROLS

4935-240 Two Compressor Alternator in NEMA 1 Enclosure (w/out magnetic starters) 208/230 volt	\$565
4935-460 Two Compressor Alternator in NEMA 1 Enclosure (w/out magnetic starters) 460 volt	\$909

ASME Tanks

CAPACITY	DIMENSIONS	MAXIMUM	APPROX.	W/ LEGS & BASE	
		PRESSURE PSIG	SHPG. WT	PART NO.	PRICE
30-H	16 x 38	200	110	ARA339	\$1,965
60-H	20 x 48	200	225	ARA650	\$2,446
60-V	20 x 48	200	225	ARA651	\$2,446
80-H	20 x 63	200	300	ARA860	\$2,551
80-V	24 x 48	200	310	ARA861	\$3,498
120-H	24 x 69	200	425	ARA1263	\$4,226
120-V	30 x 48	200	450	ARA1261	\$4,601
200-H	30 x 72	200	665	ARA2044	\$7,074
240-H	30 x 85	200	900	ARA2432	\$10,172



SPLASH LUBRICATED - TWO STAGE - ELECTRIC MOTOR VERTICAL TANK MOUNTED

HP	TANK	VERTICAL	PUMP	RPM	CFM @	WT	1 PHASE	3 PHASE
	GAL	MODEL			175 PSI	LBS.		
1 1/2	60	VT-715-60	703	400	5.8	508	\$4,893	\$4,871
1 1/2	80	VT-715-80	703	400	5.8	553	\$5,320	\$5,298
2	60	VT-720-60	703	510	7.5	529	\$5,088	\$4,998
2	80	VT-720-80	703	510	7.5	574	\$5,515	\$5,425
3	60	VT-730-60	705	540	11.1	551	\$5,175	\$5,005
3	80	VT-730-80	705	540	11.1	596	\$5,602	\$5,433
3	120	VT-730-120	705	540	11.1	722	\$6,643	\$6,474
5	60	VT-735-60	705	845	17.3	567	\$5,282	\$5,016
5	80	VT-735-80	705	845	17.3	612	\$5,709	\$5,443
5	120	VT-735-120	705	845	17.3	738	\$6,750	\$6,484
5	120	VT-737-120	707	455	18.5	835	\$9,884	\$9,617
7 1/2	80	VT-745-80	707	650	26.2	709	\$10,250	\$9,134
7 1/2	120	VT-745-120	707	650	26.2	837	\$11,040	\$9,924
10	120	VT-755-120	707	845	34.4	851	\$12,467	\$10,525

PRESSURE LUBRICATED - TWO STAGE - ELECTRIC MOTOR VERTICAL TANK MOUNTED

HP	TANK	VERTICAL	PUMP	RPM	CFM @	WT	1 PHASE	3 PHASE
	GAL	MODEL			175 PSI	LBS.		
1 1/2	60	VT-PL-715-60	PL-703	400	5.8	508	\$6,118	\$6,096
1 1/2	80	VT-PL-715-80	PL-703	400	5.8	553	\$6,545	\$6,523
2	60	VT-PL-720-60	PL-703	510	7.5	529	\$6,313	\$6,223
2	80	VT-PL-720-80	PL-703	510	7.5	574	\$6,740	\$6,650
3	60	VT-PL-730-60	PL-705	540	11.1	551	\$6,400	\$6,230
3	80	VT-PL-730-80	PL-705	540	11.1	596	\$6,827	\$6,658
3	120	VT-PL-730-120	PL-705	540	11.1	722	\$7,868	\$7,699
5	60	VT-PL-735-60	PL-705	845	17.3	567	\$6,507	\$6,241
5	80	VT-PL-735-80	PL-705	845	17.3	615	\$6,934	\$6,668
5	120	VT-PL-735-120	PL-705	845	17.3	741	\$7,975	\$7,709
5	120	VT-PL-737-120	PL-707	455	18.5	835	\$11,584	\$11,317
7.5	80	VT-PL-745-80	707	650	26.2	709	\$11,950	\$10,834
7 1/2	120	VT-PL-745-120	PL-707	650	26.2	837	\$12,740	\$11,624
10	120	VT-PL-755-120	PL-707	845	34.4	851	\$14,167	\$12,225



Saylor-Beall Mfg. Co.
400 N. Kibbee St.
St. Johns, MI 48879
www.saylor-beall.com

Toll-free: 1-800-248-9001
Fax: 1-989-224-8788

SPLASH LUBRICATED - TWO STAGE - GASOLINE ENGINE Effective January 1, 2023
HORIZONTAL TANK MOUNTED

HP	TANK	HORIZONTAL		CFM @		WT	PRICE	Honda	Diesel
	GAL	MODEL	PUMP	RPM	175 PSI	LBS.		Adder	Adder
14	30	UL-753	705	900	18.8	527	\$6,362	\$663	\$6,865
14	60	UL-750	705	900	18.8	618	\$6,673	\$663	\$6,865
14	80	UL-758	705	900	18.8	670	\$7,019	\$663	\$6,865
18	30	UL-763	707	925	38.4	792	\$13,333	\$1,201	\$13,039
18	60	UL-764	707	925	38.4	883	\$13,648	\$1,201	\$13,039
18	80	UL-765	707	925	38.4	935	\$13,991	\$1,201	\$13,039
25	120	452515GC	UL-4500	806	49.5	1195	\$18,136	\$1,168	\$22,873

PRESSURE LUBRICATED - TWO STAGE - GASOLINE ENGINE
HORIZONTAL TANK MOUNTED

HP	TANK	HORIZONTAL		CFM @		WT	PRICE	Honda	Diesel
	GAL	MODEL	PUMP	RPM	175 PSI	LBS.		Adder	Adder
14	30	UL-PL-753	PL-705	900	18.8	527	\$7,587	\$663	\$6,865
14	60	UL-PL-750	PL-705	900	18.8	618	\$7,898	\$663	\$6,865
14	80	UL-PL-758	PL-705	900	18.8	670	\$8,244	\$663	\$6,865
18	30	UL-PL-763	PL-707	925	38.4	792	\$15,033	\$1,201	\$13,039
18	60	UL-PL-764	PL-707	925	38.4	883	\$15,348	\$1,201	\$13,039
18	80	UL-PL-765	PL-707	925	38.4	935	\$15,691	\$1,201	\$13,039
25	120	PL-452515GC	UL-PL-4500	806	49.5	1195	\$20,382	\$1,168	\$22,873

SPLASH LUBRICATED - TWO STAGE - GASOLINE ENGINE
BASE MOUNTED

HP			CFM @		WT	PRICE	Honda	Diesel
	MODEL	PUMP	RPM	175 PSI	LBS.		Adder	Adder
14	ULB-705-G	705	900	18.8	451	\$6,002	\$663	\$6,865
18	ULB-707-G	707	925	38.4	708	\$13,296	\$1,201	\$13,039
25	B4525GC	UL-4500	806	49.5	942	\$16,801	\$1,168	\$22,873

PRESSURE LUBRICATED - TWO STAGE - GASOLINE ENGINE
BASE MOUNTED

HP			CFM @		WT	PRICE	Honda	Diesel
	MODEL	PUMP	RPM	175 PSI	LBS.		Adder	Adder
14	PL-ULB-705-G	PL-705	900	18.8	451	\$7,227	\$663	\$6,865
18	PL-ULB-707-G	PL-707	925	38.4	708	\$14,996	\$1,201	\$13,039
25	PL-B4525GC	UL-PL-4500	806	49.5	942	\$19,047	\$1,168	\$22,873

All models include electric start and engine slow down. Other engine make and models available, consult factory.

Honda HP of 11, 18 and 24 corresponds to Kolher HP of 14, 18 and 25

Diesel HP of 10, 14 and 30 corresponds to Kolher HP of 14, 18 and 25



Saylor-Beall Mfg. Co.
 400 N. Kibbee St.
 St. Johns, MI 48879
 www.saylor-beall.com

Toll-free: 1-800-248-9001
 Fax: 1-989-224-8788

Splash Lubricated Duplex Compressors

Effective January 1, 2023

TANK			CFM @			WT	1 PHASE	3 PHASE
HP	GAL	MODEL	PUMP	RPM	175 PSI	LBS.		
1 1/2	80	X-715-80	703	400	11.6	970	\$12,156	\$11,785
1 1/2	120	X-715-120	703	400	11.6	1095	\$12,910	\$12,539
1 1/2	200	X-715-200	703	400	11.6	1301	\$14,174	\$13,803
2	80	X-720-80	703	510	15	1008	\$12,431	\$11,929
2	120	X-720-120	703	510	15	1133	\$13,185	\$12,683
2	200	X-720-200	703	510	15	1339	\$14,449	\$13,947
3	80	X-730-80	705	540	22.2	1072	\$12,686	\$12,045
3	120	X-730-120	705	540	22.2	1197	\$13,440	\$12,799
3	200	X-730-200	705	540	22.2	1403	\$14,704	\$14,063
5	80	X-735-80	705	845	34.6	1078	\$13,089	\$12,309
5	120	X-735-120	705	845	34.6	1203	\$13,843	\$13,063
5	200	X-735-200	705	845	34.6	1409	\$15,107	\$14,327
5	120	X-737-120	707	455	37	1403	\$17,869	\$17,090
5	200	X-737-200	707	455	37	1609	\$19,133	\$18,354
7 1/2	120	X-745-120	707	655	53.8	1400		\$18,247
7 1/2	200	X-745-200	707	655	53.8	1605		\$19,511
10	120	X-755-120	707	845	68.8	1428		\$20,968
10	200	X-755-200	707	845	68.8	1634		\$22,232
10	200	X-451020	4500	605	76	2445		\$29,827
10	240	X-451024	4500	605	76	2680		\$31,055
15	200	X-451520	4500	830	102	2513		\$31,507
15	240	X-451524	4500	830	102	2748		\$32,735
15	200	X-91520	9000	480	122.4	3081		\$36,912
15	240	X-91524	9000	480	122.4	3316		\$38,140
20	200	X-92020	9000	605	152.2	3221	Note 2	\$38,600
20	240	X-92024	9000	605	152.2	3456	Note 2	\$39,828
25	200	X-92520	9000	710	179.2	3331	Note 2	\$40,282
25	240	X-92524	9000	710	179.2	3556	Note 2	\$41,510
30	200	X-93020	9000	830	202.2	3521	Note 3	\$43,334
30	240	X-93024	9000	830	202.2	3756	Note 3	\$44,562

Note 1 - Price includes alternator control panel mounted and wired.

Note 2 - Add \$1,720 list for 230 volt.

Note 3 - Add \$771 list for 230 volt.



Saylor-Beall Mfg. Co.
400 N. Kibbee St.
St. Johns, MI 48879
www.saylor-beall.com

Toll-free: 1-800-248-9001
Fax: 1-989-224-8788

Pressure Lubricated Duplex Compressors

Effective January 1, 2023

HP	TANK		PUMP	RPM	CFM @		1 PHASE	3 PHASE
	GAL	MODEL			175 PSI	WT LBS.		
1 1/2	80	X-PL-715-80	PL-703	400	11.6	970	\$14,606	\$14,235
1 1/2	120	X-PL-715-120	PL-703	400	11.6	1095	\$15,360	\$14,989
1 1/2	200	X-PL-715-200	PL-703	400	11.6	1301	\$16,624	\$16,253
2	80	X-PL-720-80	PL-703	510	15	1008	\$14,881	\$14,379
2	120	X-PL-720-120	PL-703	510	15	1133	\$15,635	\$15,133
2	200	X-PL-720-200	PL-703	510	15	1339	\$16,899	\$16,397
3	80	X-PL-730-80	PL-705	540	22.2	1072	\$15,136	\$14,495
3	120	X-PL-730-120	PL-705	540	22.2	1197	\$15,890	\$15,249
3	200	X-PL-730-200	PL-705	540	22.2	1403	\$17,154	\$16,513
5	80	X-PL-735-80	PL-705	845	34.6	1078	\$15,539	\$14,759
5	120	X-PL-735-120	PL-705	845	34.6	1203	\$16,293	\$15,513
5	200	X-PL-735-200	PL-705	845	34.6	1409	\$17,557	\$16,777
5	120	X-PL-737-120	PL-707	455	37	1403	\$21,269	\$20,490
5	200	X-PL-737-200	PL-707	455	37	1609	\$22,533	\$21,754
7 1/2	120	X-PL-745-120	PL-707	655	53.8	1400		\$21,647
7 1/2	200	X-PL-745-200	PL-707	655	53.8	1605		\$22,911
10	120	X-PL-755-120	PL-707	845	68.8	1428		\$24,368
10	200	X-PL-755-200	PL-707	845	68.8	1634		\$25,632
10	200	X-PL-451020	PL-4500	605	76	2445		\$34,319
10	240	X-PL-451024	PL-4500	605	76	2680		\$35,547
15	200	X-PL-451520	PL-4500	830	102	2513		\$35,999
15	240	X-PL-451524	PL-4500	830	102	2748		\$37,227
15	200	X-PL-91520	PL-9000	480	122.4	3081		\$42,904
15	240	X-PL-91524	PL-9000	480	122.4	3316		\$44,132
20	200	X-PL-92020	PL-9000	605	152.2	3221	Note 2	\$44,592
20	240	X-PL-92024	PL-9000	605	152.2	3456	Note 2	\$45,820
25	200	X-PL-92520	PL-9000	710	179.2	3331	Note 2	\$46,274
25	240	X-PL-92524	PL-9000	710	179.2	3556	Note 2	\$47,502
30	200	X-PL-93020	PL-9000	830	202.2	3521	Note 3	\$49,326
30	240	X-PL-93024	PL-9000	830	202.2	3756	Note 3	\$50,554

Note 1 - Price includes alternator control panel mounted and wired.

Note 2 - Add \$1,720 list for 230 volt.

Note 3 - Add \$771 list for 230 volt.



Saylor-Beall Mfg. Co.
400 N. Kibbee St.
St. Johns, MI 48879
www.saylor-beall.com

Toll-free: 1-800-248-9001
Fax: 1-989-224-8788

Splash Lubricated - Two Stage - Electric Motor Effective January 1, 2023 Base Mounted

HP	MODEL	PUMP	RPM	CFM @	WT	1 PHASE	3 PHASE
				175 PSI	LBS.		
1.5	B-703-1	703	400	5.8	350	\$4,783	\$4,761
2	B-703-2	703	510	7.5	369	\$4,923	\$4,832
3	B-705-3	705	540	11.1	393	\$5,142	\$4,972
5	B-705-5	705	845	17.3	409	\$5,250	\$4,983
5	B-707-5	707	455	18.5	474	\$7,938	\$7,673
7.5	B-707-7	707	655	26.2	503		\$7,981
10	B-707-10	707	845	34.4	517		\$9,331
10	B-45100	4500	605	38.0	833		\$10,847
15	B-45150	4500	830	51.0	867		\$11,685
15	B-9150	9000	480	61.2	1050		\$14,390
20	B-9200	9000	605	76.1	1092		\$15,232
25	B-9250	9000	710	89.6	1106		\$16,072
30	B-9300	9000	830	101.1	1127		\$16,913

Includes air pressure gauge, inline check valve, 200 psi safety valve and pressure switch.

Pressure Lubricated - Two Stage - Electric Motor Base Mounted

HP	MODEL	PUMP	RPM	CFM @	WT	1 PHASE	3 PHASE
				175 PSI	LBS.		
1.5	BPL-703-1	PL-703	400	5.8	350	\$6,008	\$5,986
2	BPL-703-2	PL-703	510	7.5	369	\$6,148	\$6,057
3	BPL-705-3	PL-705	540	11.1	393	\$6,367	\$6,197
5	BPL-705-5	PL-705	845	17.3	409	\$6,475	\$6,208
5	BPL-707-5	PL-707	455	18.5	474	\$9,638	\$9,373
7.5	BPL-707-7	PL-707	655	26.2	503		\$9,681
10	BPL-707-10	PL-707	845	34.4	517		\$11,031
10	BPL-45100	PL-4500	605	38.0	833		\$13,093
15	BPL-45150	PL-4500	830	51.0	867		\$13,931
15	BPL-9150	PL-9000	480	61.2	1050		\$17,386
20	BPL-9200	PL-9000	605	76.1	1092		\$18,228
25	BPL-9250	PL-9000	710	89.6	1106		\$19,068
30	BPL-9300	PL-9000	830	101.1	1127		\$19,909

Includes air pressure gauge, inline check valve, 200 psi safety valve and pressure switch.



Saylor-Beall Mfg. Co.
400 N. Kibbee St.
St. Johns, MI 48879
www.saylor-beall.com

Toll-free: 1-800-248-9001
Fax: 1-989-224-8788

SPLASH LUBRICATED - SINGLE STAGE - ELECTRIC MOTOR HORIZONTAL TANK MOUNTED

HP	TANK		PUMP	RPM	CFM @		WT LBS.	1 PHASE	3 PHASE
	GAL	MODEL			100 PSI				
1/2	20	FMT-115	F	470	1.7	139	\$3,210	\$3,210	
1/2	30	FMT-103	F	470	1.7	197	\$3,363	\$3,363	
3/4	20	FMT-206	F	700	2.6	139	\$3,333	\$3,333	
3/4	30	FMT-306	F	700	2.6	197	\$3,485	\$3,485	
1	30	KMT-405	K	540	3.9	224	\$4,138	\$4,066	
1	60	KMT-403	K	540	3.9	324	\$4,507	\$4,435	
1 1/2	30	KMT-404	K	810	5.9	224	\$4,233	\$4,145	
1 1/2	60	KMT-406	K	810	5.9	324	\$4,602	\$4,514	

SPLASH LUBRICATED - SINGLE STAGE - ELECTRIC MOTOR VERTICAL TANK MOUNTED

HP	TANK		PUMP	RPM	CFM @		WT LBS.	1 PHASE	3 PHASE
	GAL	MODEL			100 PSI				
1/2	30	VT-FMT-103	F	470	1.7	197	\$3,363	\$3,363	
3/4	30	VT-FMT-306	F	700	2.6	197	\$3,485	\$3,485	
1	30	VT-KMT-405	K	540	3.9	224	\$4,138	\$4,066	
1	60	VT-KMT-403	K	540	3.9	324	\$4,507	\$4,435	
1 1/2	30	VT-KMT-404	K	810	5.9	224	\$4,233	\$4,145	
1 1/2	60	VT-KMT-406	K	810	5.9	324	\$4,602	\$4,514	

SPLASH LUBRICATED - SINGLE STAGE - ELECTRIC MOTOR BASE MOUNTED

HP	MODEL	PUMP	RPM	CFM @		WT LBS.	1 PHASE	3 PHASE
				100 PSI				
1/2	BF-120	F	470	1.7	62	\$2,980	\$2,980	
3/4	BF-340	F	700	2.6	70	\$3,054	\$3,054	
1	BK-100	K	540	3.9	115	\$3,721	\$3,649	
1 1/2	BK-150	K	810	5.9	130	\$3,816	\$3,728	



Saylor-Beall Mfg. Co.
400 N. Kibbee St.
St. Johns, MI 48879
www.saylor-beall.com

Toll-free: 1-800-248-9001
Fax: 1-989-224-8788

Oilless Air Compressors

HP	TANK		PUMP	RPM	CFM @		WT LBS.	1 PHASE	3 PHASE
	GAL	MODEL			175 PSI	75 PSI			
1	30	SBSOL-1-30	SBSOL-15	540	3.1	220		\$4,250	\$4,332
1 1/2	30	SBSOL-1.5-30	SBSLO-22	440	4.7	240		\$5,660	\$5,749
2	30	SBSOL-2-30	SBSOL-22	605	6.4	250		\$6,047	\$6,072
3	60	SBSOL-3-60	SBSOL-37	580	9.5	415		\$6,960	\$6,922
3	60	SBTOL-3-60	SBTOL-55	470	9.2	450		\$9,455	\$9,464
5	80	SBTOL-5-80	SBTOL-55	780	15.3	510		\$10,007	\$9,932
7.5	80	SBTOL-7.5-80	SBTOL-75	770	22.9	550		\$14,262	\$13,397
10	120	SBTOL-10-120	SBTOL-110	780	30.4	670		\$17,780	\$16,160

COMPRESSED AIR SYSTEM with Refrigerated Dryer

35°F Dewpoint

HP	TANK		PUMP	RPM	CFM @		WT LBS.	1 PHASE	3 PHASE	PL Adder
	GAL	MODEL			175 PSI	75 PSI				
1.5	80	CD-715-80	703	400	5.8	626		\$10,249	\$10,123	\$1,225
2	80	CD-720-80	703	510	7.5	647		\$10,606	\$10,401	\$1,225
3	80	CD-730-80	705	540	11.1	677		\$10,745	\$10,460	\$1,225
5	80	CD-735-80	705	845	17.3	693		\$11,352	\$10,964	\$1,225
5	120	CD-735-120	705	845	17.3	819		\$12,077	\$11,680	\$1,225
5	80	CD-737-80	707	455	18.5	822		\$15,533	\$15,103	\$1,700
5	120	CD-737-120	707	455	18.5	953		\$16,260	\$15,819	\$1,700
7 1/2	80	CD-745-80	707	655	26.9	828			\$15,553	\$1,700
7 1/2	120	CD-745-120	707	655	26.9	955			\$16,268	\$1,700
10	80	CD-755-80	707	850	34.4	932			\$17,835	\$1,700
10	120	CD-755-120	707	850	34.4	1053			\$18,554	\$1,700
10	120	CD-451012	4500	605	38.0	1361			\$20,605	\$2,246
15	120	CD-451512	4500	830	51.0	1415			\$22,650	\$2,246
15	240	CD-451524	4500	830	51.0	1911			\$24,532	\$2,246
15	240	CD-91524	9000	480	61.2	2107			\$30,029	\$2,996
20	240	CD-92024	9000	605	76.1	2149			\$30,940	\$2,996
25	240	CD-92524	9000	710	89.6	2183			\$32,511	\$2,996
30	200	CD-93024	9000	830	101.1	2204			\$33,738	\$2,996

Note 1 - Standard features include belt guard mounted air-cooled after cooler, mechanical type auto tank drain, refrigerated air dryer with auto separator, and coalescing filter with auto drain.

Note 2 - Add PL prefix to model number to specify pressure lubrication (i.s. CD-PL-755-80)



Saylor-Beall Mfg. Co.
400 N. Kibbee St.
St. Johns, MI 48879
www.saylor-beall.com

Toll-free: 1-800-248-9001
Fax: 1-989-224-8788

COMPRESSED AIR SYSTEM with Desiccant Dryer**150 psi Max Working Pressure ----- -40°F Dewpoint**

HP	TANK		PUMP	RPM	CFM @		WT LBS.	1 PHASE	3 PHASE	PL
	GAL	MODEL			175 PSI					Adder
1 1/2	80	CDD-715-80	703	400	5.8	626	\$15,081	\$15,051	\$1,225	
2	80	CDD-720-80	703	510	7.5	647	\$15,278	\$15,178	\$1,225	
3	80	CDD-730-80	705	540	11.1	677	\$15,367	\$15,185	\$1,225	
5	80	CDD-735-80	705	845	17.3	693	\$16,743	\$16,464	\$1,225	
5	120	CDD-735-120	705	845	17.3	819	\$17,442	\$17,162	\$1,225	
5	80	CDD-737-80	707	455	18.5	822	\$20,794	\$20,514	\$1,700	
5	120	CDD-737-120	707	455	18.5	953	\$21,501	\$21,219	\$1,700	
7.5	80	CDD-745-80	707	655	26.9	828		\$20,828	\$1,700	
7.5	120	CDD-745-120	707	655	26.9	955		\$21,529	\$1,700	
10	80	CDD-755-80	707	850	34.4	932		\$22,615	\$1,700	
10	120	CDD-755-120	707	850	34.4	1053		\$23,318	\$1,700	
10	120	CDD-451012	4500	605	38.0	1361		\$25,468	\$2,246	
15	120	CDD-451512	4500	830	51.0	1415		\$26,331	\$2,246	
15	240	CDD-451524	4500	830	51.0	1911		\$28,894	\$2,246	
15	240	CDD-91524	9000	480	61.2	2107		\$35,055	\$2,996	
20	240	CDD-92024	9000	605	76.1	2149		\$37,584	\$2,996	
25	240	CDD-92524	9000	710	89.6	2183		\$42,955	\$2,996	
30	240	CDD-93024	9000	830	101.1	2204		\$44,160	\$2,996	

Note 1 - Standard features include belt guard mounted air-cooled after cooler, mechanical type auto tank drain, desiccant air dryer with auto separator, and coalescing filter with auto drain.

Note 2 - Add PL prefix to model number to specify pressure lubrication (e.g. CDD-PL-755-80)



Saylor-Beall Mfg. Co.
400 N. Kibbee St.
St. Johns, MI 48879
www.saylor-beall.com

Toll-free: 1-800-248-9001
Fax: 1-989-224-8788

CLIMATE CONTROL SIMPLEX UNITS HORIZONTAL TANK MOUNTED

HP	Tank Gal	Model Number	Pump Model	Pump CFM @ RPM	100 PSI	WT LBS.	1 PHASE	3 PHASE
1/2	30	F-123-IC	F	470	1.7	197	\$3,466	\$3,466
1/2	60	F-126-IC	F	470	1.7	297	\$3,843	\$3,843
3/4	30	F-343-IC	F	700	2.7	197	\$3,588	\$3,588
3/4	60	F-346-IC	F	700	2.7	297	\$3,967	\$3,967
1	30	K-103-IC	K	540	3.9	224	\$4,260	\$4,190
1	60	K-106-IC	K	540	3.9	324	\$4,639	\$4,570
1 1/2	60	715-60-IC	703	435	6.6	511	\$5,132	\$5,111
1 1/2	80	715-80-IC	703	435	6.6	556	\$5,578	\$5,556
2	60	720-60-IC	703	540	8.3	532	\$5,332	\$5,240
2	80	720-80-IC	703	540	8.3	577	\$5,778	\$5,688
3	60	730-60-IC	705	575	12.3	554	\$5,421	\$5,255
3	80	730-80-IC	705	575	12.3	599	\$5,867	\$5,701
5	80	735-80-IC	705	850	18.3	570	\$5,974	\$5,710
5	120	735-120-IC	705	850	18.3	615	\$7,068	\$6,804
5	80	737-80-IC	707	515	22.2	707	\$9,525	\$9,260
5	120	737-120-IC	707	515	22.2	838	\$10,352	\$10,088
7 1/2	80	745-80-IC	707	730	31.2	713		\$9,584
7 1/2	120	745-120-IC	707	730	31.2	840		\$10,412
10	80	755-80-IC	707	850	36.6	733		\$10,211
10	120	755-120-IC	707	850	36.6	854		\$10,988
10	120	451012-IC	4500	665	41.8	1161		\$12,866
10	200	451020-IC	4500	665	41.8	1400		\$14,120
15	120	451512-IC	4500	830	52.2	1195		\$13,739
15	200	451520-IC	4500	830	52.2	1434		\$14,992
15	200	91520-IC	9000	550	72.1	1601		\$17,808
15	240	91524-IC	9000	550	72.1	1816		\$18,482
20	240	92024-IC	9000	665	86.1	1858		\$19,357
25	240	92524-IC	9000	780	101.6	1872		\$20,231
30	240	93024-IC	9000	830	104.5	1893		\$21,107



Saylor-Beall Mfg. Co.
400 N. Kibbee St.
St. Johns, MI 48879
www.saylor-beall.com

Toll-free: 1-800-248-9001
Fax: 1-989-224-8788

Climate Control SIMPLEX UNITS - TANK MOUNTED WITH REFRIGERATOR AIR DRYER

HP	Tank Gal	Model Number	Pump Model	Pump CFM @ RPM	100 PSI	WT. LBS.	1 PHASE	3 PHASE	Coalescing Filter (mtd)
1/2	30	F-123-ICD	F	470	1.7	263	\$6,704	\$6,704	\$391
1/2	60	F-126-ICD	F	470	1.7	323	\$7,174	\$7,174	\$391
3/4	30	F-343-ICD	F	700	2.7	280	\$6,788	\$6,788	\$391
3/4	60	F-346-ICD	F	700	2.7	380	\$7,295	\$7,295	\$391
1	30	K-103-ICD	K	540	3.9	294	\$7,558	\$7,490	\$391
1	60	K-106-ICD	K	540	3.9	394	\$8,064	\$7,994	\$391
1 1/2	80	715-80-ICD	703	435	6.6	626	\$8,434	\$8,412	\$391
2	80	720-80-ICD	703	540	8.3	647	\$8,630	\$8,538	\$391
3	80	730-80-ICD	705	575	12.3	677	\$9,100	\$8,932	\$391
5	80	735-80-ICD	705	850	18.3	693	\$10,131	\$9,866	\$425
5	120	735-120-ICD	705	850	18.3	819	\$11,055	\$10,788	\$425
5	80	737-80-ICD	707	515	22.2	822	\$13,710	\$13,444	\$425
5	120	737-120-ICD	707	515	22.2	953	\$14,631	\$14,366	\$425
7 1/2	80	745-80-ICD	707	730	31.2	828		\$14,462	\$425
7 1/2	120	745-120-ICD	707	730	31.2	955		\$15,389	\$425
10	80	755-80-ICD	707	850	36.6	932		\$16,019	\$425
10	120	755-120-ICD	707	850	36.6	1053		\$16,944	\$425
10	120	451012-ICD	4500	665	41.8	1361		\$16,752	\$582
15	120	451512-ICD	4500	830	52.2	1415		\$19,665	\$582



Saylor-Beall Mfg. Co.
400 N. Kibbee St.
St. Johns, MI 48879
www.saylor-beall.com

Toll-free: 1-800-248-9001
Fax: 1-989-224-8788

Climate Control DUPLEX UNITS - TANK MOUNTED

HP	Tank Gal	Model Number	Pump Model	Pump CFM @ RPM	100 PSI	WT LBS.	1 PHASE	3 PHASE
1/2	30	XF-123-IC	(2) F	470	3.4	270	\$8,357	\$8,357
1/2	60	XF-126-IC	(2) F	470	3.4	370	\$8,740	\$8,740
3/4	30	XF-343-IC	(2) F	700	5.4	272	\$8,811	\$8,811
3/4	60	XF-346-IC	(2) F	700	5.4	372	\$8,946	\$8,946
1	60	XK-106-IC	(2) K	540	7.8	424	\$10,233	\$10,094
1	80	XK-108-IC	(2) K	540	7.8	469	\$10,734	\$10,593
1 1/2	80	X-715-80-IC	(2) 703	435	13.6	970	\$12,734	\$12,363
1 1/2	120	X-715-120-IC	(2) 703	435	13.6	1095	\$13,526	\$13,154
2	80	X-720-80-IC	(2) 703	540	16.6	1008	\$13,012	\$12,511
2	120	X-720-120-IC	(2) 703	540	16.6	1133	\$13,805	\$13,305
3	80	X-730-80-IC	(2) 705	575	24.6	1072	\$13,276	\$12,635
3	120	X-730-120-IC	(2) 705	575	24.6	1197	\$14,069	\$13,427
5	80	X-735-80-IC	(2) 705	850	36.6	1078	\$13,693	\$12,911
5	120	X-735-120-IC	(2) 705	850	36.6	1203	\$14,485	\$13,704
5	120	X-737-120-IC	(2) 707	515	44.4	1403	\$18,709	\$17,928
5	200	X-737-200-IC	(2) 707	515	44.4	1605	\$20,031	\$19,249
7 1/2	120	X-745-120-IC	(2) 707	730	62.4	1415		\$19,138
7 1/2	200	X-745-200-IC	(2) 707	730	62.4	1617		\$20,464
10	120	X-755-120-IC	(2) 707	850	73.2	1428		\$21,995
10	200	X-755-200-IC	(2) 707	850	73.2	1634		\$23,318
10	200	X-451020-IC	(2) 4500	665	83.6	2445		\$30,985
10	240	X-451024-IC	(2) 4500	665	83.6	2680		\$32,263
15	200	X-451520-IC	(2) 4500	830	104.4	2513		\$32,731
15	240	X-451524-IC	(2) 4500	830	104.4	2748		\$34,007
15	240	X-91524-IC	(2) 9000	550	144.2	3316		\$38,346
20	240	X-92024-IC	(2) 9000	665	172.2	3456	Note 2	\$41,371
25	240	X-92524-IC	(2) 9000	780	203.2	3556	Note 2	\$43,123
30	240	X-93024-IC	(2) 9000	830	209.0	3758	Note 3	\$45,748

Note 1 - Price includes alternator control panel mounted and wired.

Note 2 - Add \$ 1,720 list for 230 volt.

Note 3 - Add \$ 771 list for 230 volt.



Saylor-Beall Mfg. Co.
400 N. Kibbee St.
St. Johns, MI 48879
www.saylor-beall.com

Toll-free: 1-800-248-9001
Fax: 1-989-224-8788

Climate Control

Effective January 1, 2023

DUPLEX UNITS - TANK MOUNTED WITH REFRIGERATED AIR DRYER

HP	Tank Gal	Model Number	Pump Model	Pump CFM @		WT. LBS.	Coalescing Filter (mtd)		
				RPM	100 PSI		1 PHASE	3 PHASE	
1/2	60	X-F-126-ICD	(2) F	470	3.4	436	\$11,517	\$11,517	\$391
3/4	60	X-F-346-ICD	(2) F	700	5.4	438	\$11,716	\$11,716	\$391
1	60	X-K-106-ICD	(2) K	540	7.8	497	\$13,022	\$12,881	\$391
1	80	X-K-108-ICD	(2) K	540	7.8	542	\$13,501	\$13,363	\$391
1 1/2	80	X-715-80-ICD	(2) 703	435	13.6	1035	\$15,579	\$15,209	\$391
1 1/2	120	X-715-120-ICD	(2) 703	435	13.6	1160	\$16,365	\$15,996	\$391
2	80	X-720-80-ICD	(2) 703	540	16.6	1073	\$15,863	\$15,362	\$391
2	120	X-720-120-ICD	(2) 703	540	16.6	1198	\$16,655	\$16,151	\$391
3	80	X-730-80-ICD	(2) 705	575	24.6	1137	\$16,509	\$15,868	\$425
3	120	X-730-120-ICD	(2) 705	575	24.6	1262	\$17,295	\$16,655	\$425
5	80	X-735-80-ICD	(2) 705	850	36.6	1175	\$16,930	\$16,149	\$425
5	120	X-735-120-ICD	(2) 705	850	36.6	1300	\$17,719	\$16,935	\$425

BASE MOUNTED UNITS

HP	Model Number	Pump Model	Pump CFM @		WT. LBS.	Coalescing Filter (mtd)	
			RPM	100 PSI		1 PHASE	3 PHASE
1/2	BF-120-IC	F	470	1.7	85	\$3,068	\$3,068
3/4	BF-340-IC	F	700	2.7	85	\$3,145	\$3,145
1	BK-100-IC	K	540	3.9	117	\$3,828	\$3,757
1 1/2	B-703-1-IC	703	435	6.6	350	\$5,014	\$4,992
2	B-703-2-IC	703	540	8.3	369	\$5,159	\$5,068
3	B-705-3-IC	705	575	12.3	383	\$5,390	\$5,223
5	B-705-5-IC	705	850	18.3	409	\$5,497	\$5,231
5	B-707-5-IC	707	515	22.2	474	\$8,318	\$8,052
7 1/2	B-707-7-IC	707	730	31.2	503		\$8,364
10	B-707-10-IC	707	850	36.6	517		\$9,789
10	B-45100-IC	4500	665	41.8	833		\$11,266
15	B-45150-IC	4500	830	52.2	867		\$12,136
15	B-9150-IC	9000	550	72.1	1050		\$14,950
20	B-9200-IC	9000	665	86.1	1101		\$15,822
25	B-9250-IC	9000	780	101.6	1115		\$16,699
30	B-9300-IC	9000	830	104.5	1136		\$17,571



Saylor-Beall Mfg. Co.
400 N. Kibbee St.
St. Johns, MI 48879
www.saylor-beall.com

Toll-free: 1-800-248-9001
Fax: 1-989-224-8788

Dur-o-line Series

Compressor pumps manufactured in Brazil, tank assembly by Saylor-Beall

Two Stage - Horizontal Tank Mounted - Electric

HP	TANK		PUMP	CFM @		
	SIZE	MODEL		175 PSI	1 PHASE	3 PHASE
5	60	DO560H	DOT5	16.0	\$4,525	\$4,257
5	80	DO580H	DOT5	16.0	\$4,950	\$4,683
7 1/2	80	CH-745-80	CH50	25.5	\$6,562	\$6,428
7 1/2	120	CH-745-120	CH50	25.5	\$7,574	\$7,439

Two Stage - Vertical Tank Mounted - Electric

HP	TANK		PUMP	CFM @		
	SIZE	MODEL		175 PSI	1 PHASE	3 PHASE
5	60	DO560V	DOT5	16.0	\$4,525	\$4,257
5	80	DO580V	DOT5	16.0	\$4,950	\$4,683
7 1/2	80	VT-CH-745-80	CH50	25.5	\$6,562	\$6,428
7 1/2	120	VT-CH-745-120	CH50	25.5	\$7,574	\$7,439

Two Stage - Horizontal Tank Mounted Gasoline Engine Driven

HP	TANK		PUMP	DLVD CFM	LIST
	SIZE	MODEL			PRICE
14	30	DO1330GH	DOT5	16.0 @ 140 PSI	\$5,930

Basic Pumps

HP RANGE	PUMP	CFM	NO. CYL.	WEIGHT	LIST PRICE
	MODEL				
5	DOT5	16.00	2	95	\$2,619
7.5	CH50	25.5	2	166	\$2,973



Saylor-Beall Mfg. Co.
400 N. Kibbee St.
St. Johns, MI 48879
www.saylor-beall.com

Toll-free: 1-800-248-9001
Fax: 1-989-224-8788

ROTARY SCREW AIR COMPRESSORS

Base Mounted

MODEL	RSD-10	RSD-15	RSD-20	RSD-25	RSD-30	RSD-40	RSD-40-U	RSD-50-U
Motor HP	10	15	20	25	30	40	40	50
CFM	32	55	80	110	125	166	166	210
PSIG	125	125	125	125	125	125	125	125
List Price	\$13,197	\$20,989	\$22,319	\$24,187	\$28,250	\$31,771	\$34,789	\$40,411
OPTIONS								
200V	C/F	C/F	C/F	C/F	C/F	C/F	C/F	C/F
230V	\$0	\$0	\$0	\$0	\$0	\$1,021	\$1,021	\$534
460V	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
SPECIAL MOTORS								
TEFC	\$1,418	STD	STD	STD	STD	STD	STD	STD
Enclosure	\$1,746	\$4,782	\$4,782	\$4,782	\$4,783	\$4,783	\$5,859	\$5,859
AIR RECEIVERS								
80 Gallon	\$3,417	NA	NA	NA	NA	NA	NA	NA
120 Gallon*	\$3,745	\$3,745	\$3,745	\$3,745	\$3,745	NA	NA	NA
200 Gallon	\$5,046	\$5,046	\$5,046	\$5,046	\$5,046	\$5,046	NA	NA
240 Gallon	NA	N/A	N/A	N/A	N/A	\$5,208	NA	NA
*Not Available with Enclosure 15-25 HP								
LUBRICANTS								
Palasyn 45	STD	STD	STD	STD	STD	STD	STD	STD
AFX	\$189	\$394	\$394	\$394	\$394	\$478	\$478	\$478
SEP/TRAP	STD	\$643	\$643	\$643	\$643	\$729	\$729	\$729



Refrigerated Air Dryers

Effective January 1, 2023

MODEL	RATED CAPACITY (SCFM @ 100 PSI)	STANDARD VOLTAGE (1)	WT LBS.	LIST PRICE
SBX-0015	15	115-1	55	\$1,643
SBX-0020	20	115-1	62	\$1,651
SBX-0030	30	115-1	70	\$2,247
SBX-0045	45	115-1	77	\$2,779
SBX-0055	75	115-1	84	\$3,078
SBX-0085	85	115-1	92	\$3,750
SBX-0110	110	115-1	143	\$4,062
SBX-0135	125	115-1	143	\$4,419
SBX-0175	175	Specify	152	\$5,398
SBX-0215	215	Specify	196	\$6,962
SBX-0250	250	Specify	222	\$7,738
SBX-0340	340	Specify	253	\$8,840
SBX-0470	470	Specify	297	\$10,938

Specify voltage -230-1 or 460-3

High Inlet Temperature Refrigerated Air Dryers

MODEL	RATED CAPACITY (SCFM @ 125 SI)*	STANDARD VOLTAGE (1)	WT LBS.	LIST PRICE
SBR/HT-20	20	115-1	79	\$3,030
SBR/HT-25	25	115-1	80	\$3,201
SBR/HT-35	35	115-1	81	\$3,771
SBR/HT-50	50	115-1	150	\$4,813
SBR/HT-75	75	115-1	155	\$5,955
SBR/HT-125	125	230-1	175	\$10,239

*Capacity @ 180° F inlet temperature, 160° F inlet pressure dew point, 95° F ambient temperature, 50° outlet pressure dew point.

Belt Guard Mounted Air-Cooled Aftercoolers

with Unique Fan Design

MODEL	FOR USE WITH COMPRESSOR MODEL #	RATED CM CAPACITY	LIST PRICE
BGA-7-5	703-705	20	\$1,144
BGA-7-10	707	40	\$1,324
BGA-45-15	4500	60	\$1,498
BGA-90-20	9000	80	\$1,719
BGA-90-25	9000	100	\$1,989
BGA-90-30	9000	120	\$2,252

Condensate Cleaners

MODEL	RATED CAPACITY (1)	LIST PRICE
SBEP60 ST	60	\$282
SBEP120 ST	120	\$885
SBEP360 ST	360	\$1,271
SBEP900 ST	900	\$2,007



Saylor-Beall Mfg. Co.
400 N. Kibbee St.
St. Johns, MI 48879
www.saylor-beall.com

Toll-free: 1-800-248-9001
Fax: 1-989-224-8788

COMPRESSED AIR FILTER

Effective January 1, 2023

Separator Filter

MODEL	RATED CAPACITY (SCFM @ 100 PSIG)	Replacement Element	WT LBS.	AUTO PRICE	DIFF. DRAIN	GAUGE (2)	INSTALLATION
SBNF0015 GP	15	SBE0015GP	0.7	\$183	STD	STD	\$120
SBNF0030 GP	30	SBE0030GP	1.3	\$264	STD	STD	\$120
SBNF0050 GP	50	SBE0050GP	1.5	\$366	STD	STD	\$180
SBNF0085 GP	85	SBE0090GP	3.5	\$452	STD	STD	\$180
SBNF0090 GP	90	SBE0090GP	3.5	\$452	STD	STD	N/A
SBNF0135 GP	135	SBE0135GP	4.4	\$551	STD	STD	N/A
SBNF0175 GP	175	SBE0175GP	4.4	\$612	STD	STD	N/A
SBNF0290 GP	290	SBE0325GP	6.2	\$836	STD	STD	N/A
SBNF0400 GP	400	SBE0450GP	9.2	\$1,006	STD	STD	N/A
SBNF0700 GP	700	SBE0700GP	13.9	\$1,514	STD	STD	N/A

Coalescing Filter (Oil removal)

MODEL	RATED CAPACITY (SCFM @ 100 PSIG)	Replacement Element	WT LBS.	AUTO PRICE	DIFF. DRAIN	GAUGE (2)	INSTALLATION
SBNF0015 HE	15	SBE0015HE	0.7	\$183	STD	STD	\$120
SBNF0030 HE	30	SBE0030HE	1.3	\$264	STD	STD	\$120
SBNF0050 HE	50	SBE0050HE	1.5	\$366	STD	STD	\$180
SBNF0085 HE	85	SBE0090HE	3.5	\$452	STD	STD	\$180
SBNF0090 HE	90	SBE0090HE	3.5	\$452	STD	STD	N/A
SBNF0135 HE	135	SBE0135HE	4.4	\$551	STD	STD	N/A
SBNF0175 HE	175	SBE0175HE	4.4	\$612	STD	STD	N/A
SBNF0290 HE	290	SBE0325HE	6.2	\$836	STD	STD	N/A
SBNF0400 HE	400	SBE0450HE	9.2	\$1,006	STD	STD	N/A



Saylor-Beall Mfg. Co.
400 N. Kibbee St.
St. Johns, MI 48879
www.saylor-beall.com

Toll-free: 1-800-248-9001
Fax: 1-989-224-8788

Oil Vapor Adsorber Filter

Effective January 1, 2023

MODEL	RATED CAPACITY (SCFM @ 100 PSIG)	Replacement Element	WT LBS.	AUTO PRICE	DIFF. DRAIN	GAUGE (2)	INSTALLATION
SBNF0015 AC	15	SBE0015AC	0.7	\$183	STD	STD	\$120
SBNF0030 AC	30	SBE0030AC	1.3	\$264	STD	STD	\$120
SBNF0050 AC	50	SBE0050AC	1.5	\$366	STD	STD	\$180
SBNF0085 AC	85	SBE0090AC	3.5	\$452	STD	STD	\$180
SBNF0090 AC	90	SBE0090AC	3.5	\$452	STD	STD	N/A
SBNF0135 AC	135	SBE0135AC	4.4	\$551	STD	STD	N/A
SBNF0175 AC	175	SBE0175AC	4.4	\$612	STD	STD	N/A
SBNF0290 AC	290	SBE0325AC	6.2	\$836	STD	STD	N/A
SBNF0400 AC	400	SBE0450AC	9.2	\$1,006	STD	STD	N/A
SBNF0700 AC	700	SBE0700AC	13.9	\$1,514	STD	STD	N/A



Saylor-Beall Mfg. Co.
 400 N. Kibbee St.
 St. Johns, MI 48879
www.saylor-beall.com

Toll-free: 1-800-248-9001
 Fax: 1-989-224-8788

PERFORMANCE PACKAGE - SIMPLEX

Includes aftercooler, starter, low oil control, auto tank drain, vibro isolators, new quite intake filter, dual control on 15-30 HP.

HP	Tank Gal	Model Number	Pump Model	CFM @ VOLTAGE	WT 175 PSI LBS.	PRESSURE		LUBE ADDER
						1 PHASE	3 PHASE	
5	80	VT-735-80FP	705	All	17.3 648	\$8,059	\$7,792	\$1,225
5	80	735-80FP	705	All	17.3 612	\$8,059	\$7,792	\$1,225
7 1/2	80	VT-745-80	707	All	26.2 915	\$12,848	\$11,793	\$1,700
7 1/2	80	745-80FP	707	All	26.2 729	\$12,848	\$11,793	\$1,700
10	120	VT-755-120FP	707	All	34.4 935	\$16,031	\$13,578	\$1,700
10	120	755-120FP	707	All	34.4 871	\$16,031	\$13,578	\$1,700
15	120	451512FP	4500	All	51.0 1195		\$16,962	\$2,246
20	120	92012FP	9000	208/230	76.1 1404		\$21,699	\$2,996
20	120	92012FP	9000	460	76.1 1404		\$20,878	\$2,996
25	200	92520FP	9000	208/230	89.6 1657		\$24,047	\$2,996
25	200	92520FP	9000	460	89.6 1657		\$23,227	\$2,996
30	240	93024FP	9000	208/230	101.1 1893		\$26,194	\$2,996
30	240	93024FP	9000	460	101.1 1893		\$25,826	\$2,996

Please specify voltage with all orders

PERFORMANCE PACKAGE - DUPLEX INCLUDES ALTERNATOR CONTROL PANEL MOUNTED & WIRED

Includes aftercooler, starter, low oil control, auto tank drain, vibro isolators, new quite intake filter.

HP	Tank Gal	Model Number	Pump Model	CFM @ VOLTAGE	WT 175 PSI LBS.	PRESSURE		LUBE ADDER
						1 PHASE	3 PHASE	
1.5	80	X-715-80-FP	703	All	11.6 970	\$15,776	\$15,406	\$2,450
2	80	X-720-80-FP	703	All	15.0 1008	\$16,050	\$15,550	\$2,450
3	80	X-730-80-FP	705	All	22.2 1072	\$16,305	\$15,665	\$2,450
5	120	X-735-120-FP	705	All	34.6 1203	\$17,464	\$16,683	\$2,450
7.5	120	X-745-120-FP	707	All	53.8 1400		\$22,266	\$3,400
10	120	X-755-120-FP	707	All	68.8 1428		\$24,988	\$3,400
15	200	X-451520-FP	4500	All	102.0 2513		\$35,912	\$4,492
20	200	X-92020-FP	9000	208/230	152.2 3221		\$45,217	\$5,992
20	200	X-92020-FP	9000	460	152.2 3221		\$43,496	\$5,992
25	200	X-92520-FP	9000	208/230	179.2 3331		\$47,499	\$5,992
25	200	X-92520-FP	9000	460	179.2 3331		\$45,779	\$5,992
30	240	X-93024-FP	9000	208/230	202.2 3521		\$51,414	\$5,992
30	240	X-93024-FP	9000	460	202.2 3521		\$50,643	\$5,992

Please specify voltage with all orders



Saylor-Beall Mfg. Co.
400 N. Kibbee St.
St. Johns, MI 48879
www.saylor-beall.com

Toll-free: 1-800-248-9001
Fax: 1-989-224-8788